



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

PERCHLORIC ACID 70% AR

PRODUCT CODE : A-2014

CAS No : 7601-90-3

FORMULA : HClO_4

UN No : 1873

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

PERCHLORIC ACID 70% AR



MSDS Number : 0256

Date : Aug 28th, 2024

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : PERCHLORIC ACID 70% AR
Synonyms : Perchloric acid solution, Dioxonium perchlorate solution, Hydronium perchlorate, Chloric(VII) acid, Hyperchloric acid.
CAS No. : 7601-90-3
HS Code : 2811 29 90
Chemical Formula : HClO₄
Molecular Weight : 100.46 g/mol
Product Code : A-2014
Brand : Labotiq
1.2 Manufacturer : Labotiq
Address : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
Website : www.labotiq.net
Email : labotiq.id@gmail.com
For information : Phone : (+62-251) 8391110, 8311662, Fax : (+62-251) 83135710
Emergency number : +6281316894650
1.3 Application : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing liquids (Category 1), H271
 Corrosive to Metals (Category 1), H290
 Acute toxicity, Oral (Category 4), H302
 Skin corrosion (Sub-category 1A), H314
 Serious eye damage (Category 1), H318
 Specific target organ toxicity - repeated exposure (Category 2), Thyroid, H373

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H271

May cause fire or explosion; strong oxidizer.

H290

May be corrosive to metals.

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

H373

May cause damage to organs (Thyroid) through prolonged or repeated exposure.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

PERCHLORIC ACID 70% AR



MSDS Number : 0256

Date : Aug 28th, 2024

Version : 1.0

Precautionary statement(s)

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

P301 + P312

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314

Get medical advice/ attention if you feel unwell.

Supplemental Hazard Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : PERCHLORIC ACID 70%
 Formula : HClO₄
 Molecular weight : 100.46 g/mol
 CAS-No. : 7601-90-3

3.2 Mixture

Component	Classification	Concentration
Perchloric acid CAS-No. 7601-90-3 EC-No. 231-512-4 Index-No. 017-006-00-4	Ox. Liq. 1; Met. Corr. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT RE 2; H271, H290, H302, H314, H318, H373 Concentration limits: >= 50 %: Skin Corr. 1A, H314; 10 - < 50 %: Skin Corr. 1B, H314; 1 - < 10 %: Skin Irrit. 2, H315; 1 - < 10 %: Eye Irrit. 2, H319; > 50 %: Ox. Liq. 1, H271; <= 50 %: Ox. Liq. 2, H272; 1 - 50 %: Ox. Liq. 2, H272;	>= 70 - < 90 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
PERCHLORIC ACID 70% AR

MSDS Number : 0256

Date : Aug 28th, 2024

Version : 1.0

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**Water Foam Carbon dioxide (CO₂)

Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Chlorine Hydrogen chloride gas Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. Has a fire-promoting effect due to release of oxygen.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system..

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

PERCHLORIC ACID 70% AR



MSDS Number : 0256

Date : Aug 28th, 2024

Version : 1.0

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood.

Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures Immediately

change contaminated clothing.

Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers. Tightly closed. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

Storage class

Storage class (TRGS 510): 5.1A: Strongly oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm

Break through time: > 480 min

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

PERCHLORIC ACID 70% AR



MSDS Number : 0256

Date : Aug 28th, 2024

Version : 1.0

Material tested: Butoject®

Splash contact

Material: Nature latex/chloroprene

Minimum layer thickness: 0,6 mm

Break through time: 420 min

Material tested: Lapren®

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

Respiratory protection not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: liquid, clear Colour: colorless
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezingpoint	-18 °C
Initial boiling point and boiling range	ca.203 °C at 1.013 hPa
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	9,1 hPa at 25 °C
Vapour density	No data available
Relative density	1,664 g/mL at 25 °C
Water solubility	completely miscible
Partition coefficient: octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	Not explosive
Oxidizing properties	No data available

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

PERCHLORIC ACID 70% AR



MSDS Number : 0256

Date : Aug 28th, 2024

Version : 1.0

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Amines and alcohols cause exothermic reactions.

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong bases, Strong acids, Amines, Phosphorus halides, Alcohols, Organic materials, Powdered metals, Strong reducing agents Strong oxidizing agents Metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - < 2.000 mg/kg (OECD Test Guideline 423)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Dermal: No data available

Skin corrosion/irritation

Mixture causes severe burns.

Serious eye damage/eye irritation

Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
PERCHLORIC ACID 70% AR

MSDS Number : 0256

Date : Aug 28th, 2024

Version : 1.0

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure. - Thyroid

Aspiration hazard

No data available

Additional Information

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to daphnia and other aquatic invertebrates Immobilization

EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Do not empty into drains.

Neutralisation will not reduce ecotoxic effects.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

PERCHLORIC ACID 70% AR



MSDS Number : 0256

Date : Aug 28th, 2024

Version : 1.0

Contaminated packaging
Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1873

IMDG: 1873

IATA: 1873

14.2 UN proper shipping name

ADR/RID: PERCHLORIC ACID

IMDG: PERCHLORIC ACID

IATA: Perchloric acid

Passenger Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: 5.1 (8)

IMDG: 5.1 (8)

IATA: 5.1 (8)

14.4 Packaging group

ADR/RID: I

IMDG: I

IATA: I

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

Further information

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H271	May cause fire or explosion; strong oxidizer.
H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

National Fire Protection Association (U.S.A.):

Health: 3

Flammability: 0

Reactivity: 0

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
PERCHLORIC ACID 70% AR



MSDS Number : 0256

Date : Aug 28th, 2024

Version : 1.0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : August 28, 2024