



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure

PRODUCT CODE : I-9000

CAS No : 12135-76-1

FORMULA : $(\text{NH}_4)_2\text{S}$

UN No : 2683

website : www.labotiq.net

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure

MSDS Number : 0049

Date : October 18th, 2024

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure
Synonyms : Diammonium sulfide solution; Ammonium monosulfide solution ; Ammonium sulfide solution
CAS No. : 12135-76-1
HS Code : 2828 90 19
Chemical Formula : $(\text{NH}_4)_2\text{S}$
Molecular Weight : 68,14 g/mol
Product Code : I-9000
Brand : Labotiq
1.2 Manufacturer : Labotiq
Address : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
Website : www.labotiq.net
Email : labotiq.id@gmail.com
For information : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
Emergency number : +6281316894650
1.3 Application : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Flammable liquids, (Category 3)	H226: Flammable liquid and vapor.
Skin corrosion, (Sub-category 1B)	H314: Causes severe skin burns and eye damage.
Serious eye damage, (Category 1)	H318: Causes serious eye damage.
Short-term (acute) aquatic hazard, (Category 1)	H400: Very toxic to aquatic life.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H226

Flammable liquid and vapor.

H314

Causes severe skin burns and eye damage.

H400

Very toxic to aquatic life.

Precautionary statement(s)

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233

Keep container tightly closed.

P273

Avoid release to the environment.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure

MSDS Number : 0049

Date : October 18th, 2024

Version : 1.0

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Supplemental Hazard information (EU)
 EUH031

Contact with acids liberates toxic gas.

Reduced Labeling (<= 125 ml)
 Pictogram



Signal Word

Danger

Hazard Statements
 H314

Causes severe skin burns and eye damage.

Precautionary Statements
 P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard information (EU)
 EUH031

Contact with acids liberates toxic gas.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Synonyms

: Diammonium sulfide solution; Ammonium monosulfide solution ; Ammonium

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure

MSDS Number : 0049

Date : October 18th, 2024

Version : 1.0

sulfide solution
 Formula : H_8N_2S
 Molecular weight : 68,14 g/mol
 CAS-No. : 12135-76-1
 EC-No. : 235-223-4

3.2 Mixture**Hazardous ingredients according to Regulation (EC) No 1272/2008**

Component	Classification	Concentration
di-Ammonium sulfide solution CAS-No. 12135-76-1 EC-No. 235-223-4	Flam. Sol. 2; Skin Corr. 1B; Aquatic Acute 1; H228, H314, H400	>= 25 - < 30 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures****General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses..

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure

MSDS Number : 0049

Date : October 18th, 2024

Version : 1.0

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO_x)

Sulfur oxides Nitrogen oxides (NO_x)

Sulfur oxides

Not combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.



Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Do not store near acids.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure control

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740, Size M)

Body Protection

Flame retardant antistatic protective clothing.

**Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance	clear, liquid
Odour	Stench.
Odour Threshold	No data available
pH	No data available
Melting point/freezingpoint	No data available.
Initial boiling point and boiling range	No data available
Flash point	32 °C - closed cup Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Density	No data available
Relative density	No data available
Water solubility	at 20 °C soluble
Partition coefficient: octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	Not classified as explosive.
Oxidizing properties	No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature)

10.3 Possibility of hazardous reactions

Violent reactions possible with:

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure



MSDS Number : 0049

Date : October 18th, 2024

Version : 1.0

The generally known reaction partners of water

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Dermal: No data available

Skin corrosion/irritation

Remarks: Mixture causes burns

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Endocrine disrupting properties

Product:

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure

MSDS Number : 0049

Date : October 18th, 2024

Version : 1.0

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

Components**di-Ammonium sulfide solution****Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: Causes skin burns.

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information**12.1 Toxicity**

Mixture

No data available

12.2 Persistence and degradability

No data available

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure

MSDS Number : 0049

Date : October 18th, 2024

Version : 1.0

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

di-Ammonium sulfide solution

No data available

Endocrine disrupting properties

Product: Assessment :

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

No data available

SECTION 14: Transport information**14.1 UN number**

ADR/RID: 2683

IMDG: 2683

IATA: 2683

14.2 UN proper shipping name

ADR/RID: AMMONIUM SULPHIDE SOLUTION

IMDG: AMMONIUM SULPHIDE SOLUTION

IATA: Ammonium sulphide solution

14.3 Transport hazard class(es)

ADR/RID: 8 (3, 6.1)

IMDG: 8 (3, 6.1)

IATA: 8 (3, 6.1)

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

14.6 Special precautions for user**Further information**

No data available

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
AMMONIUM SULPHIDE SOLUTION 20% IN WATER Extrapure

MSDS Number : 0049

Date : October 18th, 2024

Version : 1.0

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : di-Ammonium sulfide solution

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS
E1 ENVIRONMENTAL HAZARDS

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information**Full text of H-Statements referred to under sections 2 and 3.**H228 Flammable solid.
H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.
EUH031 Contact with acids liberates toxic gas.**National Fire Protection Association (U.S.A.):**Health: 3
Flammability: 3
Reactivity: 0**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0
Revision Date : October 18, 2024