



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

NICKEL SULPHATE HEXAHYDRATE 98% AR

PRODUCT CODE : O-5126

CAS No : 10101-97-0

FORMULA : $\text{NiSO}_4 \cdot 6 \text{H}_2\text{O}$

UN No : 3077

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

NICKEL SULPHATE HEXAHYDRATE 98% AR



MSDS Number : 0242

Date : Aug 26th, 2024

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : NICKEL SULPHATE HEXAHYDRATE 98% AR
Synonyms : Nickelous Sulphate
CAS No. : 10101-97-0
HS Code : 2833 24 00
Chemical Formula : NiSO₄. 6 H₂O
Molecular Weight : 262.86 g/mol
Product Code : 0-5126
Brand : Labotiq
- 1.2 Manufacturer** : Labotiq
Address : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
Website : www.labotiq.net
Email : labotiq.id@gmail.com,
For information : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
Emergency number : +6281316894650
- 1.3 Application** : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302
 Acute toxicity, Inhalation (Category 4), H332
 Skin irritation (Category 2), H315
 Respiratory sensitisation (Category 1), H334
 Skin sensitisation (Category 1), H317
 Germ cell mutagenicity (Category 2), H341
 Carcinogenicity, Inhalation (Category 1A), H350i
 Reproductive toxicity (Category 1B), H360D
 Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Respiratory Tract, H372
 Short-term (acute) aquatic hazard (Category 1), H400
 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H302 + H332

H315

H317

H334

Harmful if swallowed or if inhaled.

Causes skin irritation.

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

NICKEL SULPHATE HEXAHYDRATE 98% AR



MSDS Number : 0242

Date : Aug 26th, 2024

Version : 1.0

H341	Suspected of causing genetic defects.
H350	May cause cancer.
H360D	May damage the unborn child.
H372	Causes damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative And toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: NICKEL SULPHATE HEXAHYDRATE
Formula	: NiSO ₄ . 6 H ₂ O
Molecular weight	: 262.86 g/mol
CAS-No.	: 10101-97-0
EC-No.	: 232-104-9
Index-No.	: 028-009-00-5

3.2 Mixture

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Nickel sulphate hexahydrate CAS-No. 10101-97-0 EC-No. 232-104-9 Index-No. 028-009-00-5	Acute Tox. 4; Skin Irrit. 2; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1A; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H332, H315, H334, H317, H341, H350i, H360D, H372, H400, H410 Concentration limits: >= 1 %: STOT RE 1, H372; 0.1 - < 1 %: STOT RE 2, H373; >= 20 %: Skin Irrit. 2, H315; >= 0.01 %: Skin Sens. 1, H317; M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	<=100 %

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
NICKEL SULPHATE HEXAHYDRATE 98% AR

MSDS Number : 0242

Date : Aug 26th, 2024

Version : 1.0

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures****General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Sulfur oxides, Nickel/nickel oxides, Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
NICKEL SULPHATE HEXAHYDRATE 98% AR

MSDS Number : 0242

Date : Aug 26th, 2024

Version : 1.0

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing.

Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities**Storage conditions**

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****8.2 Exposure controls****Appropriat engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment**Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

NICKEL SULPHATE HEXAHYDRATE 98% AR



MSDS Number : 0242

Date : Aug 26th, 2024

Version : 1.0

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber
 Minimum layer thickness: 0.11 mm
 Break through time: 480 min
 Material tested: Dermatrill® (KCL 740, Size M)

Splash contact

Material: Nitrile rubber
 Minimum layer thickness: 0.11 mm
 Break through time: 480 min
 Material tested: Dermatrill® (KCL 740, Size M)

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If the full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: crystalline Colour: blue
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezingpoint	No data available
Initial boiling point and boiling range	No data available
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable.
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
NICKEL SULPHATE HEXAHYDRATE 98% AR

MSDS Number : 0242

Date : Aug 26th, 2024

Version : 1.0

Vapour density	No data available
Relative density	2.07 g/cm ³
Water solubility	No data available
Partition coefficient: noctanol/water	Not applicable for inorganic substances
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

increased reactivity with: Strong acids

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

LD50 Oral - Rat - 361,9 mg/kg (OECD Test Guideline 425)

Remarks: anhydrous substance

Acute toxicity estimate Inhalation - 4 h - 1,6 mg/l (Expert judgment)

Dermal: No data available

Skin corrosion/irritation

No data available(Nickel sulphate hexahydrate)

Serious eye damage/eye irritation

No data available(Nickel sulphate hexahydrate)

Respiratory or skin sensitisation

Maximization Test - Guinea pig

May cause allergic skin reaction

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
NICKEL SULPHATE HEXAHYDRATE 98% AR

MSDS Number : 0242

Date : Aug 26th, 2024

Version : 1.0

Germ cell mutagenicity

In vitro tests showed mutagenic effects Suspected of causing genetic defects.

Test Type: Mutagenicity (mammal cell test):

Result: positive

Remarks: (National Toxicology Program)

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (National Toxicology Program)

Carcinogenicity

Human carcinogen. May cause cancer by inhalation.(Nickel sulphate hexahydrate)

IARC: 1 - Group 1: Carcinogenic to humans (Nickel sulphate hexahydrate)

Reproductive toxicity

Presumed human reproductive toxicant May damage the unborn child.

Specific target organ toxicity - single exposure

No data available(Nickel sulphate hexahydrate)

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. -

Respiratory Tract

Aspiration hazard

No data available(Nickel sulphate hexahydrate)

Additional Information

RTECS: QR9600000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated

SECTION 12: Ecological information**12.1 Toxicity**

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Discharge into the environment must be avoided.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
NICKEL SULPHATE HEXAHYDRATE 98% AR

MSDS Number : 0242

Date : Aug 26th, 2024

Version : 1.0

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADR/RID: 3077

IMDG: 3077

IATA: 3077

14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel sulphate hexahydrate)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel sulphate hexahydrate)

IATA: Environmentally hazardous substance, solid, n.o.s. (Nickel sulphate hexahydrate)

14.3 Transport hazard class(es)

ADR/RID: 9

IMDG: 9

IATA: 9

14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: no

IATA: yes

14.6 Special precautions for user

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information**Full text of H-Statements referred to under sections 2 and 3.**

H302	Harmful if swallowed.
H302 + H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
NICKEL SULPHATE HEXAHYDRATE 98% AR



MSDS Number : 0242

Date : Aug 26th, 2024

Version : 1.0

H360D May damage the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

Version : 1.0

Revision Date : August 26, 2024