



Preparing for the New Era of Laboratories

MATERIAL SAFETY DATA SHEET (MSDS)

According to regulation (EU) no.1907/2006

POTASSIUM HYDROXIDE PELLETS 85% AR

PRODUCT CODE : O-5151

CAS No : 1310-58-3

FORMULA : KOH

UN No : 1813

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM HYDROXIDE PELLETS 85% AR



MSDS Number : 0290

Date : Aug 28th, 2024

Version : 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Name** : POTASSIUM HYDROXIDE PELLETS 85% AR
Synonyms : Potassium hydrate, Caustic potash
CAS No. : 1310-58-3
HS Code : 2815 20 00
Chemical Formula : KOH
Molecular Weight : 56.11 g/mol
Product Code : O-5151
Brand : Labotiq
1.2 Manufacturer : Labotiq
Address : Jl.Terapi Raya AD2-Bumi Menteng Asri Bogor, Jawa Barat Indonesia – 16111
Website : www.labotiq.net
Email : labotiq.id@gmail.com,
For information : Phone : (+62-251) 839110, 8311662, Fax : (+62-251) 83135710
Emergency number : +6281316894650
1.3 Application : Laboratory chemicals, Manufacture of substances, General Chemical reagent

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture**
Classification according to Regulation (EC) No 1272/2008
 Corrosive to Metals (Category 1), H290
 Acute toxicity, Oral (Category 4), H302
 Skin corrosion (Sub-category 1A), H314
 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H290

May be corrosive to metals.

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

Precautionary statement(s)

P234

Keep only in original packaging.

P260

Do not breathe dusts or mists.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM HYDROXIDE PELLETS 85% AR



MSDS Number : 0290

Date : Aug 28th, 2024

Version : 1.0

P301 + P312

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Potassium hydrate, Caustic potash
Formula	: KOH
Molecular weight	: 56.11 g/mol
CAS-No.	: 1310-58-3
EC-No.	: 215-181-3
Index-No.	: 019-002-00-8

3.2 Mixture

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
caustic potash CAS-No. 1310-58-3 EC-No. 215-181-3 Index-N. 019-002-00-8	Met. Corr. 1; Acute Tox. 4; Skin Corr. 1A; H290, H302, H314 Concentration limits: ≥ 5 %: Skin Corr. 1A, H314; 2 - < 5 %: Skin Corr. 1B, H314; 0.5 - < 2 %: Skin Irrit. 2, H315; 0.5 - < 2 %: Eye Irrit. 2, H319	≤ 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM HYDROXIDE PELLETS 85% AR



MSDS Number : 0290

Date : Aug 28th, 2024

Version : 1.0

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Potassium oxides, Not combustible.
Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Gives off hydrogen by reaction with metals. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
POTASSIUM HYDROXIDE PELLETS 85% AR

MSDS Number : 0290

Date : Aug 28th, 2024

Version : 1.0

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities**Storage conditions**

No metal containers. Tightly closed. Dry. Absorbs carbon dioxide (CO₂) from air. Air sensitive. strongly hygroscopic

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Derived No Effect Level (DNEL)**

Application Area	Exposure routes	Health effect	Value
Workers	Inhalation	Long-term local effects	1 mg/m ³
Consumers	Inhalation	Long-term local effects	1 mg/m ³

8.2 Exposure controls**Appropriat engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment**Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740, Size M)

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM HYDROXIDE PELLETS 85% AR



MSDS Number : 0290

Date : Aug 28th, 2024

Version : 1.0

Splash contact

Material: Nitrile rubber
 Minimum layer thickness: 0.11 mm
 Break through time: 480 min
 Material tested: Dermatrill® (KCL 740, Size M)

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
 Recommended Filter type: Filter type P2
 The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Form: pellets Color: colorless
Odour	odorless
Odour Threshold	Not applicable
pH	ca.13,5 at 5,6 g/l at 25 °C
Melting point/freezingpoint	Melting point/range: 361 °C - lit.
Initial boiling point and boiling range	1.327 °C at 1.013 hPa
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Not applicable No data available
Vapour pressure	1 hPa at 719 °C
Vapour density	No data available
Relative density	2,04 g/cm ³ at 20 °C
Water solubility	1.130 g/l at 20 °C
Partition coefficient: noctanol/water	Not applicable for inorganic substances
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM HYDROXIDE PELLETS 85% AR



MSDS Number : 0290

Date : Aug 28th, 2024

Version : 1.0

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Heat of solution is very high, and with limited amounts of water, violent boiling may occur

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Do not heat above melting point.

10.5 Incompatible materials

animal/vegetable tissues, glass, various plastics, Metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 333 mg/kg (OECD Test Guideline 425)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns.

Remarks: (IUCLID)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. (OECD Test Guideline 405)

Causes serious eye damage.

Respiratory or skin sensitisation

Sensitisation test: - Guinea pig

Result: negative

Remarks: (IUCLID)

Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (ECHA) Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
POTASSIUM HYDROXIDE PELLETS 85% AR

MSDS Number : 0290

Date : Aug 28th, 2024

Version : 1.0

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(caustic potash)

Specific target organ toxicity - single exposure

No data available(caustic potash)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(caustic potash)

Additional Information

RTECS: TT2100000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. After uptake: Vomiting shock Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish

LC50 - *Gambusia affinis* (Mosquito fish) - 80 mg/l - 96 h Remarks: (IUCLID)**12.2 Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Harmful to aquatic life.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

POTASSIUM HYDROXIDE PELLETS 85% AR



MSDS Number : 0290

Date : Aug 28th, 2024

Version : 1.0

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1813

IMDG: 1813

IATA: 1813

14.2 UN proper shipping name

ADR/RID: POTASSIUM HYDROXIDE, SOLID

IMDG: POTASSIUM HYDROXIDE, SOLID

IATA: Potassium hydroxide, solid

14.3 Transport hazard class(es)

ADR/RID: 8

IMDG: 8

IATA: 8

14.4 Packaging group

ADR/RID: I I

IMDG: I I

IATA: II

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

National Fire Protection Association (U.S.A.):

Health: 3

Flammability: 0

Reactivity: 1

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Labotiq shall not be held liable for any damage resulting from handling or from contact with the above product.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
POTASSIUM HYDROXIDE PELLETS 85% AR



MSDS Number : 0290

Date : Aug 28th, 2024

Version : 1.0

Version : 1.0

Revision Date : August 28, 2024